

# DISCOVER THE NEW HFX-7000MW KIT



**COMELIT APP**




**THE DOOR ENTRY MONITOR  
AT YOUR FINGERTIPS.**

 **Comelit®**  
Passion. Technology. Design.

# External Unit - **EX-DSME**

Mechanical push button



7.68 Inch  
3.74 Inch ← 1.1 Inch


- **New mechanical push button**
- Die-cast aluminium cover, protection degree of IK08
- Call buttons featuring new physical button
- Wall-mounted installation
- Colour HD camera
- 4 indicator LEDs for call sent, door open, audio active, system busy
- White LED for illumination
- Nameplate holder in versions with 1/2/4 buttons
- Programmable up to 4 users



FEATURES AND FUNCTIONS	EX-DSME
Type of finish	Aluminium cover
Installation	Wall-mounted
Camera	Fish Eye Lens
Video encoding	600 TVL 640 x480
Type of sensor	.25" CMOS Image Sensor
Lens	F2.1
Maximum current absorption (mA)	250mA
Microphone volume control	Yes
Loudspeaker volume control	Yes
Operating temperature (°F)	-13°F ~ 131°F
Width	3.79"
Height	7.72"
Depth	1.06
Weight	23 oz
Vandal Resistant IK	IK08
IP Protection Rating	IP54

# Internal Unit - **EX-7000HW**

Always connected, wherever you are. No port forwarding needed



6.3 Inch  
4.53 Inch ← 0.87 Inch

- Wi-Fi port Wi-Fi 802.11b/g/n 2.4 GHz
- Receive and answer calls from video door entry on smartphone / tablet
- Connection between monitor and smartphone in a few easy steps
- 4.3" 16:9 colours monitor
- Wall-mounted and desk base installation with dedicated accessory
- Equipped with 5 soft-touch keys
- Indicator LEDs for incoming calls, door open, privacy and "doctor" function and pending messages
- Equipped with 3 programmable inputs
- Adjustable backlight brightness, key feedback and ringtone volume
- Induction loop (with T position) included
- Separate bracket for easy and fast cabling

FEATURES AND FUNCTIONS	EX-7000HW
Surface mounting	Yes
Desk base-mounting	Yes
Induction loop	Yes
Display size	4.3" 16/9
Resolution (pixels)	480x272pixel
Type of Display	LCD
Product colour	White
Number of standard buttons	5
LED indicator lights	4
Electronic ringtone	Yes
Ringtone volume control	Yes
Power consumption	10 W MAX
Width	4.52"
Height	6.29"
Depth	.083"
Weight	21 oz
Operating temperature (°F)	41° F ~ 104° F
IP Protection Rating	IP54
Removable Terminals	Yes
Maximum current absorption (mA)	240
Wi-Fi connection	Wi-Fi port Wi-Fi 802.11b/g/n 2.4 GHz

# Comelit **App**

The door entry monitor at your fingertips.

The Comelit App allows your video entry systems to be managed remotely by smartphones and/or tablets connected to 3G networks or above. It is possible to respond to calls from the entry station, make intercom calls, view recorded videos from the entry station and control the opening of gates and doors. The Comelit APP is available free of charge for iOS and Android devices.



## Comelit App



### ANSWER CALLS FROM EXTERNAL UNITS

You can answer audio or audio / video calls from a smartphone or tablet locally or remotely (with 3G or higher network).

### VIEW AND MANAGE CAMERAS

You can view (live) CCTV cameras and images from the entrance panels.

### SAVE YOUR BATTERY AND YOUR DATA

Comelit APP activates itself only when you receive a call, showing a push notification, saving your mobile data and battery.

### MAKE AND RECEIVE CALLS FROM OTHER INTERNAL UNITS (IN THE CONTACTS LIST) AND FROM OTHER DEVICES

You can make or answer audio calls from a smartphone or tablet with 3G or higher network to ViP internal units.

### VIDEO MEMORY

The Video Memory function allows to record and view videos from external units and CCTV cameras (up to 10 seconds).

### ACTUATOR ACTIVATION AND MANAGEMENT

This function is used to control actuators to control lights, gates, barriers, etc.



- Clean and minimal design
- Continuously updated with new functions such as home and burglar alarm management
- Contact list with every connected device
- Contact list with every member of your family and your building via phone
- Possibility to call monitors by smartphone
- Video recording from your external units
- Missed calls with recorded notification

*...and much more*



# ALWAYS CONNECTED, WHEREVER YOU ARE


WITH THE NEW  
HFX-7000MW




## Basic Diagrams

HFX-7000MW

### DIAGRAM FOR SINGLE-FAMILY SYSTEM



### DIAGRAM FOR MULTI FAMILY / MULTI DOORS



[www.comelitgroup.com](http://www.comelitgroup.com)



cod.  
2G36000453



**COMELIT APP**

