

# S6000-101 Series

All-In-One Delayed Egress Rim & Vertical Rod Exit Devices

#### SDC's S6000-101 series all-in-one devices integrates the S6000 series exit device with SDC's innovative delayed egress electronics.

When unauthorized egress is initiated by depressing the push pad of the S6000-101, an audible alarm will sound and an irreversible delay period of 15 seconds will begin. After the delay period has expired, the device unlocks, permitting egress until the device is reset. In a life safety emergency, the device will immediately unlock upon loss of power or when powered by a fire control supervised power supply.

## Trim is ordered separately, see related products.

- Panic and fire rated devices
- Subdued alternating alarm tone
- Push pad activation trigger
- Key switch reset and bypass\*
- Low power consumption, energy saver

\* Key cylinders not included, order separately. See related products.

							MODE
							ND
							NH
Ĩ	FUNCTION			LENGTH			NC
	01			36			BD
	02			42			BH
	03			48			BC
S61	01	Р	U	36	R	101	ND
S61		Р	FINISH		R	ELECTRI	FICATION
S62		F			L		
MODEL		RATING			LBR		
					LBRF		

**ORDERING GUIDE** 

OPTIONS

NOT REQUIRED

S6101PU36101NC	Rim, Exit Only, Panic, 630, 36", All-In-One, CBC Compliant	2,227.00
S6101FU36101NC	Rim, Exit Only, Fire, 630, 36", All-In-One, CBC Compliant	2,356.00
S6101PU48101NC	Rim, Exit Only, Panic, 630, 48", All-In-One, CBC Compliant	2,275.00
S6101FU48101NC	Rim, Exit Only, Fire, 630, 48", All-In-One, CBC Compliant	2,404.00
S6101PU42101NC	Rim, Exit Only, Panic, 630, 42", All-In-One, CBC Compliant	2,252.00

#### **EXAMPLES**



### 

S62

S61



Less Bottom Rod

#### S6000-101 CONFIGURATION 1 of 1

MODEL	0000000	LIST \$
S61	Rim	685.00
\$62	Surface Vertical Rod (SVR)	1,028.00

FUNCTION	0000000	ADD TO LIST
01	Exit Only (No Trim)	N/C
02	Dummy Trim (No Cylinder Prep)	N/C
03	Key Retracts Latchbolt (Nightlatch)	N/C

RATING	0000000	ADD TO LIST
Р	Panic Device Standard	N/C
F	Fire-Rated Device	129.00

FINISH	0000000	ADD TO LIST
U	630 Dull Stainless & Standard	N/C

LENGTH	0000000	ADD TO LIST
36	36" Door Opening Østandard	N/C
42	42" Door Opening	25.00
48	48" Door Opening	48.00

OPTIONS	00000000	ADD TO LIST
R	Request-To-Exit (REX)	94.00
L	Latch Status (LS)	94.00
LBR*	Less Bottom Rod, Panic	N/C
LBRF*	Less Bottom Rod, Fire-Rated	N/C

\* Available for S62 surface vertical rod devices only.

ELECTRIFICATION	000000●0	ADD TO LIST
101	All-In-One Delayed Egress	1,542.00

MODE	0000000●	ADD TO LIST
ND	NFPA 101, Fixed 15 Second Egress Delay Østandard	N/C
NH	NFPA 101, Fixed 30 Second Egress Delay	N/C
NC	CBC Compliant	N/C
BD	BOCA, Fixed 15 Second Egress Delay	N/C
BH	BOCA Fixed 30 Second Egress Delay	N/C
BC	Chicago Compliant	N/C

Related products on next page.





Eclipse Trim



Galaxy Trim



Saturn Trim



Mortise Key Cylinder



**Rim Key Cylinder** 

### RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

EK02U	Eclipse Escutcheon Trim, Dummy, 630	262.00
EK03U*	Eclipse Escutcheon Trim, Nightlatch, 630	262.00
GK02U	Galaxy Escutcheon Trim, Dummy, 630	262.00
GK03U*	Galaxy Escutcheon Trim, Nightlatch, 630	262.00
SP02U	Saturn Escutcheon Trim, Dummy, 630	118.00
SP03U*	Saturn Escutcheon Trim, Nightlatch, 630	118.00
EKE03U*	Electrified Eclipse Escutcheon Trim, Nightlatch, 630	771.00
EKE03ULS*	Electrified Eclipse Escutcheon Trim, Nightlatch, LS, 630	865.00
GKE03U*	Electrified Galaxy Escutcheon Trim, Nightlatch, 630	771.00
GKE03ULS*	Electrified Galaxy Escutcheon Trim, Nightlatch, LS, 630	865.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 11/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 11/8" Length, Keyed Alike	52.00
RIM-CYL-KA**	Rim Cylinder, 6-Pin, Keyed Alike	39.00
ST1P	Rim Strike, <sup>1</sup> %6" Projection	25.00
ST1F	Rim Strike, <sup>13</sup> /16" Projection, Fire-Rated	25.00
ST2DF	Double Door Rim Strike, 1%6" Projection	57.00
ST2P	Vertical Rod Top Strike, <sup>29</sup> / <sub>32</sub> " Projection	23.00
ST2F	Vertical Rod Top Strike, 11/8" Projection, Fire-Rated	23.00
ST28T	Threshold Strike, %" Projection	18.00
KR90F*	Removable Mullion, 11 Guage Steel, 8' x 2" x 2"	743.00
ST1MP	Mullion Strike, 7/8" Projection	80.00
ST1MF	Mullion Strike, 7/8" Projection	80.00

\*Key cylinder not included, order separately.

\*\* For EK03U, GK03U and SP03U trim only.