

Eaton ELFHNWC-N

Catalog Number: ELFHNWC-N

Eaton Eluxa low frequency sounder, ceiling, white, no lettering, 24V, indoor

General specifications



Product Name	Catalog Number
Eaton Eluxa low frequency sounder and sounder strobe	ELFHNWC-N

UPC
786697010781

Product Height	Product Diameter
3.52 in	6.3 in

Product Weight	Compliances
1.2 lb	Not Applicable

Certifications

Contact Manufacturer

defaultTaxonomyAttributeLabel

Type

Sounder

Compliance and standards

UL

ULC

FCC

RoHS

Mounting Method

Ceiling

Housing color

White

Voltage

24 V

Audible current

0.098 mA

Lettering

No lettering

Operating Temperature

32°F to 122°F (0°C to 50°C)

Indoor/outdoor

Indoor

520 Hz modes of operation

Continuous

T3 (fire)

T3/T4 Sync Control

Application

Sleeping areas

Resources

Brochures

[Eluxa family brochure](#)

[Eluxa product cross reference](#)

Catalogs

[Wheelock life safety notification appliances catalog CA450001EN](#)

Drawings

[Eluxa low frequency sounder strobe wall drawing](#)

[Eluxa low frequency sounder wall drawing](#)

Installation instructions

[Eluxa low frequency sounder wall install sheet P85753](#)

[Eluxa low frequency sounder ceiling install sheet P85759](#)

Selling policy and T&Cs

[Eluxa UL listing](#)

Specifications and datasheets

[Eaton Specification Sheet - ELFHNWC-N](#)

Technical data sheets

[Eluxa low frequency sounders data sheet](#)

[wheelock-mounting-accessories-data-sheet](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)