

Eaton ELHSR

Catalog Number: ELHSR

Eaton Eluxa horn strobe, LED, wall, red, FIRE, clear lens, 15/30/75/110/135/185 cd, 24V, indoor



General specifications

Product Name	Catalog Number
Eaton Eluxa horn strobe	ELHSR
UPC	Product Length/Depth
786697009563	1.57 in
Product Height	Product Width
4.79 in	2.76 in
Product Weight	Compliances
0.325 lb	Not Applicable

Product specifications

Mounting Method

Wall

Housing color

Red

Indoor/outdoor

Indoor

Housing material

Plastic

Lettering

FIRE

Voltage

24 V

Operating Temperature

32°F to 122°F (0°C to 50°C) and maximum humidity of 93%

Compliance and standards

UL

ULC

RoHS

FCC

Audible and visual specifications

Lamp type

LED

Lens color

Clear

Candela settings

15 cd

30 cd

75 cd

110 cd

135 cd

185 cd

Current draw (DC)

0.022

0.030

0.060

0.086

0.125

0.185

Lens material

Lexan

Sound Level (dBA)

86

Resources

Brochures

[Eluxa family brochure](#)

[Eluxa product cross reference](#)

Catalogs

[Wheelock life safety notification appliances catalog CA450001EN](#)

Drawings

[Eluxa horn strobe wall drawing](#)

Installation instructions

[Eluxa horns, horn strobes, strobes, ceiling install sheet P85756](#)

[Eluxa horns, horn strobes, strobes, wall install sheet P85750](#)

Selling policy and T&Cs

[Eluxa UL listing](#)

Specifications and datasheets

Eaton Specification Sheet - ELHSR

Technical data sheets

wheelock-mounting-accessories-data-sheet

Eluxa horns, strobes, hom strobes data sheet



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)