

Eaton ELHSRC

Catalog Number: ELHSRC

Eaton Eluxa horn strobe, LED, ceiling, red, FIRE, clear lens, 15/30/75/110/150/177 cd, 24V, indoor

General specifications

Product Name	Catalog Number
Eaton Eluxa horn strobe	ELHSRC
UPC	Product Height
786697009570	1.91 in
Product Diameter	Product Weight
6.23 in	0.7 lb
Compliances	
Not Applicable	

Product specifications

Mounting Method

Ceiling

Housing color

Red

Indoor/outdoor

Indoor

Housing material

Plastic

Lettering

FIRE

Voltage

24 V

Operating Temperature

32°F to 122°F (0°C to 50°C) and maximum humidity of 93%

Compliance and standards

UL

ULC

RoHS

FCC

Audible and visual specifications

Lamp type

LED

Lens color

Clear

Candela settings

15 cd

30 cd

75 cd

110 cd

150 cd

177 cd

Current draw (DC)

0.022

0.030

0.060

0.086

0.125

0.185

Lens material

Lexan

Sound Level (dBA)

86

Resources

Brochures

[Eluxa family brochure](#)

[Eluxa product cross reference](#)

Catalogs

[Wheelock life safety notification appliances catalog CA450001EN](#)

Drawings

[Eluxa horn strobe wall drawing](#)

Installation instructions

[Eluxa horns, horn strobes, strobes, wall install sheet P85750](#)

[Eluxa horns, horn strobes, strobes, ceiling install sheet P85756](#)

Selling policy and T&Cs

[Eluxa UL listing](#)

Specifications and datasheets

[Eaton Specification Sheet - ELHSRC](#)

Technical data sheets

[Eluxa horns, strobes, horn strobes data sheet](#)

[wheelock-mounting-accessories-data-sheet](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)