Eaton ELHSWC

Catalog Number: ELHSWC

Eaton Eluxa horn strobe, LED, ceiling, white, FIRE, clear lens, 15/30/75/110/150/177 cd, 24V, indoor

General specifications

Product Name	**Catalog Number**
Eaton Eluxa horn strobe	ELHSWC
UPC	**Product Height**
786697009594	1.91 in
Product Diameter	**Product Weight**
6.23 in	0.7 lb
Compliances	
Not Applicable	

Product specifications

Mounting Method

Ceiling

Housing color

White

Indoor/outdoor

Indoor

Housing material

Plastic

Lettering

FIRE

Voltage

24 V

Operating Temperature

32°F to 122°F (0°C to 50°C) and maximum humidity of 93%

Compliance and standards

UL
ULC
RoHS
FCC

Audible and visual specifications

Lamp type

LED

Lens color

Clear

Candela settings

15 cd
30 cd
75 cd
110 cd
150 cd
177 cd

Current draw (DC)

0.022
0.030
0.060
0.086
0.125
0.185

Lens material

Lexan

Sound Level (dBA)

86

Resources

Brochures

Eluxa family brochure

Eluxa product cross reference

Catalogs

Wheelock life safety notification appliances catalog CA450001EN

Drawings

Eluxa horn strobe wall drawing

Installation instructions

Eluxa horns, horn strobes, strobes, ceiling install sheet P85756

Eluxa horns, horn strobes, strobes, wall install sheet P85750

Selling policy and T&Cs

Eluxa UL listing

Specifications and datasheets

Eaton Specification Sheet - ELHSWC

Technical data sheets

wheelock-mounting-accessories-data-sheet

Eluxa horns, strobes, horn strobes data sheet