

Eaton ELSTR

Catalog Number: ELSTR

Eaton Eluxa strobe, LED, wall, red, FIRE, clear lens, 15/30/75/110/135/185 cd, 24V, indoor

General specifications



Product Name	Catalog Number
Eaton Eluxa strobe	ELSTR
UPC	Product Length/Depth
786697009686	1.3 in
Product Height	Product Width
4.54 in	2.78 in
Product Weight	Compliances
0.328 lb	Not Applicable
Certifications	
Contact Manufacturer	

defaultTaxonomyAttributeLabel

Type

Strobe

Compliance and standards

UL

ULC

Mounting Method

Wall

Housing color

Red

Lens color

Clear

Lens material

Lexan

Lamp type

LED

Current draw (DC)

0.185

Lettering

FIRE

Operating Temperature

32°F to 122°F (0°C to 50°C)

Indoor/outdoor

Indoor

Candela settings

15 cd

30 cd

75 cd

110 cd

135 cd

185 cd

Resources

Brochures

[Eluxa family brochure](#)

[Eluxa product cross reference](#)

Catalogs

[Wheelock life safety notification appliances catalog CA450001EN](#)

Drawings

[Eluxa strobe ceiling drawing](#)

Installation instructions

[Eluxa horns, hom strobes, strobes, wall install sheet P85750](#)

[Eluxa blue lens strobe wall install sheet P85750-002](#)

[Eluxa horns, hom strobes, strobes, ceiling install sheet P85756](#)

[Eluxa blue lens strobes ceiling install sheet P85756-002](#)

Selling policy and T&Cs

[Eluxa UL listing](#)

Specifications and datasheets

[Eaton Specification Sheet - ELSTR](#)

Technical data sheets

[Eluxa colored lens strobes data sheet](#)

[wheelock-mounting-accessories-data-sheet](#)

[Eluxa horns, strobes, hom strobes data sheet](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)