

Eaton HSW

Catalog Number: HSW

Eaton Wheelock Exceder horn strobe, xenon, wall, white, FIRE, clear lens, 15,1575,30/75/95/110/135/185 cd, 12/24V, indoor



General specifications

Product Name	Catalog Number
Eaton Wheelock Exceder horn strobe	HSW
UPC	Product Length/Depth
786697272523	2.2 in
Product Height	Product Width
5.24 in	4.56 in
Product Weight	Compliances
0.546 lb	Not Applicable

defaultTaxonomyAttributeLabel

Compliance and standards

FM
CSFM
ULC
UL

Type of horn strobe

Horn strobe

Housing color

White

Housing material

Plastic

Lens color

Clear

Lens material

Lexan

Lamp type

Xenon

Current draw (DC)

0.082/0.095/0.102/0.148/0.176/ 0.197/0.242/ 0.282

Lettering

FIRE

Operating Temperature

32°F to 120°F (0°C to 49°C)

Indoor/outdoor

Indoor

Mounting Method

Wall

Candela settings

15 cd
1575 cd
30 cd
75 cd
95 cd
110 cd
135 cd
185 cd

Voltage

12 V

Resources

Catalogs

Wheelock life safety notification appliances catalog CA450003FR, French Canadian
Wheelock life safety notification appliances catalog CA450002EN, Canada
Wheelock life safety notification appliances catalog CA450001EN

Drawings

Exceder horn strobe wall drawing

Installation instructions

exceder-install-sheets-ceiling-P85066
exceder-install-sheets-wall-P85060

Selling policy and T&Cs

Exceder CSFM listing 0785-0168
Wheelock audible visual appliances UL listing

Specifications and datasheets

Eaton Specification Sheet - HSW

Technical data sheets

wheelock-mounting-accessories-data-sheet

24 V

Tones

Continuous Horn or Temporal (Code 3)

Sound Level (dBA)

95

90

99



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)